


<b>Product Description:</b> <b>FLIGHT TYPE DISHWASHING MACHINE</b>		
<b>Country of Manufacture:</b> <b>CHINA</b>		
<b>Model No:</b> <b>UPster B190P WITH CSS TOP</b>		
<b>Manufacturer:</b> <b>MEIKO</b>		
<b>Purpose/Function:</b> CONVEYOR (BELT) TRANSPORT DISHWASHING MACHINE CHEMICAL SAVING SYSTEM CSS-BASIC FOR DETERGENT SAVINGS OF 50% TO 60%		
<b>Technical Specifications</b>		
<b>Dimensions</b>	<ul style="list-style-type: none"><li>• <b>L x D x H (MM) - 4600 x 1020 x 2010</b></li><li>• ENTRY HEIGHT: 320 MM</li><li>• PASSING WIDTH: 620 MM</li><li>• RACK SIZE: 500 x 500 MM</li></ul>	
<b>Manufacturing Details</b>	<ul style="list-style-type: none"><li>• SMOOTH STAINLESS-STEEL BODY</li><li>• INDEPENDENT CABINET WITH MIKE -3 ELECTRONIC CONTROL</li><li>• IN BUILT BOILER FOR FINAL RINSE TO ACHIEVE HYGIENIC TEMPERATURE OF 85 DEG C</li><li>• COMPLETE WASTE REMOVAL AT FEEDING SECTION</li><li>• MEIKO V –TANK WITH ROUNDED EDGES</li><li>• MANIFOLD WASH SYSTEM</li><li>• TANDEM FILTER SYSTEM</li><li>• MEIKO HEAT RECOVERY SYSTEM</li><li>• ALL AROUND INSULATION OF THE WHOLE SURFACE</li><li>• FULLY ELECTRONIC CONTROL – 24 VOLTS CONTROL</li><li>• NUMBER OF BELT SPEED: 3</li></ul>	
<b>MEP / Engineering Details</b>	<ul style="list-style-type: none"><li>• VOLTAGE 400V/3PH/50HZ</li><li>• TOTAL CONNECTED LOAD: 35.1 KW, 59.8 A</li><li>• FINAL RINSE WATER CONSUMPTION: 240 l/h</li><li>• TANK FILLING – 190 L</li></ul>	
<b>Capacity/Output</b>	<ul style="list-style-type: none"><li>• CAPACITY: 2000 /2500 / 2900 PLATES/h</li></ul>	
<b>Accessories</b>	<ul style="list-style-type: none"><li>• UNIVERSAL CONVEYOR</li></ul>	