



## FED-X Two Door Salad Prep Fridge - XGNS900D

## **Quick Overview**

- Stainless steel interior and exterior with rounded corners for easy cleaning
- Stainless steel integrated lid
- Pan and pan cover must be used to ensure correct operating temperature
- 5 x GN1/6 Pan slots (Pans and lids are not included)
- Replaceable magnetic door seals
- · User friendly Digital controls
- Heavy duty castors
- · Unit can be placed against the wall
- Weight loading per shelf: 40kg
- Refrigerant: R600A
- Dimensions (Internal): 830mm W x 595mm D x 455mm H

## Description

FED-X Two Door Salad Prep Fridge - XGNS900D

• Net Capacity: 240L

Cooling System: Static cooling
Temperature range: +2 ~ +8 ° C

• Compressor: Embraco/Secop

• Controller: Dixell

• Ambient Temperature: 32 ° C

• RH: 60%

- Stainless steel interior and exterior with rounded corners for easy cleaning
- · Stainless steel integrated lid
- Pan and pan cover must be used to ensure correct operating temperature
- 5 x GN1/6 Pan slots (Pans and lids are not included)
- Replaceable magnetic door seals
- User friendly Digital controls
- Heavy duty castors
- Unit can be placed against the wall
- Weight loading per shelf: 40kg
- · Refrigerant: R600A
- Dimensions (Internal): 830mm W x 595mm D x 455mm H

## Your Shipping Specifications

Net Weight (Kg)	81
Width (mm)	903
Depth (mm)	700
Height (mm)	1020
Packing Width (mm)	930
Packing Depth (mm)	730
Packing Height (mm)	1160
Power	240V; 50HZ; 10A; 170W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice