



FED-X Two Glass Door Bench Fridge Stainless Steel - XUB6C13G2V

Quick Overview

- Net Capacity: 228L
- Cooling System: Fan-forced cooling
- Temperature range: -2~+8°C
- Compressor: Embraco/Secop
- Controller: Dixell
- Ambient Temperature: 43°C
- RH: 60%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 1 shelf per door
- Self-closing doors with heavy-duty magnetic door seals
- 60mm HFCs and CFCs free foam body insulation
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- The unit can be placed against the wall
- LED Lighting Inside

Description

FED-X Two Glass Door Bench Fridge Stainless Steel - XUB6C13G2V

Key Features

- Net Capacity: 228L
- Cooling System: Fan-forced cooling
- Temperature range: -2~+8°C
- Compressor: Embraco/Secop
- Controller: Dixell
- Ambient Temperature: 43°C
- RH: 60%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 1 shelf per door
- Self-closing doors with heavy-duty magnetic door seals

- 60mm HFCs and CFCs free foam body insulation
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- The unit can be placed against the wall
- LED Lighting Inside

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Net Weight (Kg)	83
Width (mm)	1360
Depth (mm)	600
Height (mm)	850
Packing Width (mm)	1390
Packing Depth (mm)	630
Packing Height (mm)	910
Power	240V; 50V; 10A; 215W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice