



## FED-X S/S Three Door Bench Freezer - XUB6F18S3V

### Quick Overview

- Net Capacity: 339L
- Cooling System: Fan-forced cooling
- Temperature range: -18-22 ° C
- Compressor: Cubigel
- Controller: Dixell
- Ambient Temperature: 43 ° C
- RH: 60%
- Refrigerant: R290
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Auto defrost
- 1 shelf per door, additional shelf sets available
- Self-closing doors with heavy-duty magnetic door seals
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User-friendly Digital controls
- Rapid recovery rate
- Heavy-duty evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- The unit can be placed against a wall
- Weight loading per shelf: 40kg
- Dimensions (Internal): 1234mm W x 480mm D x 564mm H

### Description

FED-X Stainless Steel Three Door Bench Freezer - XUB6F18S3V

#### Key Features

- Net Capacity: 339L
- Cooling System: Fan-forced cooling
- Temperature range: -18--22 ° C
- Compressor: Cubigel
- Controller: Dixell

- Ambient Temperature: 43 ° C
- RH: 60%
- Refrigerant: R290
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Auto defrost
- 1 shelf per door, additional shelf sets available
- Self-closing doors with heavy-duty magnetic door seals
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User-friendly Digital controls
- Rapid recovery rate
- Heavy-duty evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- The unit can be placed against a wall
- Weight loading per shelf: 40kg
- Dimensions (Internal): 1234mm W x 480mm D x 564mm H

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Net Weight (Kg)	107
Width (mm)	1795
Depth (mm)	600
Height (mm)	850
Packing Width (mm)	1825
Packing Depth (mm)	630
Packing Height (mm)	910
Power	240V; 50V; 10A; 520W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice