



## Fed-X Stainless Steel Upright Static Display Fridge XR400SG

### Quick Overview

- Litre 350
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling for fridge, Static Cooling with fan for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range -2 to +8
- Ambient/RH% 25/60

### Description

#### Fed-X Stainless Steel Upright Static Display Fridge XR400SG

##### Key Features

- Litre 350
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling

- Regular defrosting is necessary
- Static Cooling for fridge, Static Cooling with fan for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range -2 to +8
- Ambient/RH% 25/60

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	74
Width (mm)	600
Depth (mm)	585
Height (mm)	1850
Packing Width (mm)	646
Packing Depth (mm)	642
Packing Height (mm)	1990
Power	240V, 372W/10A
Warranty	Warranty: 2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration