



## Fed-X Stainless Steel Upright Static Freezer XF600SS

### Quick Overview

- Litre 555
- 60mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Rear castors
- Triple glazed Low-E doors for freezers with heated filament for clear viewing
- Rounded internal corners for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Front adjustable legs
- Regular manual defrosting is necessary
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range (-22 to -18)
- Ambient/RH% - 30/50

### Description

#### Fed-X Stainless Steel Upright Static Freezer XF600SS

##### Key Features

- Litre 555
- 60mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Rear castors
- Triple glazed Low-E doors for freezers with heated filament for clear viewing
- Rounded internal corners for hygiene & easy cleaning

- Refrigerated into fixed shelves for even cooling
- Front adjustable legs
- Regular manual defrosting is necessary
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range (-22 to -18)
- Ambient/RH% - 30/50

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	92
Width (mm)	777
Depth (mm)	695
Height (mm)	1890
Packing Width (mm)	752
Packing Depth (mm)	823
Packing Height (mm)	1170
Power	240V, 450W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration