



## Fed-X Stainless Steel Upright Static Display Fridge XR600SG

### Quick Overview

- Litre 570
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling for fridge, Static Cooling with fan for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range -2 to +8
- Ambient/RH% 25/60

### Description

#### Fed-X Stainless Steel Upright Static Display Fridge XR600SG

##### Key Features

- Litre 570
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling

- Regular defrosting is necessary
- Static Cooling for fridge, Static Cooling with fan for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range -2 to +8
- Ambient/RH% 25/60

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	100
Width (mm)	777
Depth (mm)	695
Height (mm)	1890
Packing Width (mm)	752
Packing Depth (mm)	823
Packing Height (mm)	1890
Power	240V, 462W/10A
Warranty	Warranty: 2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration